

CONTENTS

1.	THE BORN–OPPENHEIMER HAMILTONIAN	1
1.	Separating the center of mass motion in quantum mechanics	1
1.1.	Reducing the two-body problem to two one-body ones	1
1.2.	The center of mass in quantum mechanics	6
1.3.	Free atoms and atomcules	9
2.	The Born–Oppenheimer approximation	12
2.1.	Introductory remarks	12
2.2.	The Born–Oppenheimer separation	13
2.3.	Why the Born–Oppenheimer separation is not exact	14
2.4.	Approximate decoupling	15
2.5.	A note on the Born–Oppenheimer separation	16
	Notes	17
2.	GENERAL THEOREMS AND PRINCIPLES	19
1.	The variation principle	19
1.1.	The Rayleigh quotient	19
1.2.	The variation principle for the ground state	19
1.3.	The variation principle as an equivalent of the Schrödinger equation: A useful formulation of the variation principle	21
1.4.	Eckart’s inequality	23
1.5.	Excited states	24
2.	The Hellmann–Feynman theorem	26
2.1.	The differential Hellmann–Feynman theorem	26
2.2.	The integral Hellmann–Feynman theorem	31
3.	The virial theorem in quantum mechanics	32
3.1.	Time dependence of a physical quantity	32
3.2.	The virial theorem	33
3.3.	Scaling—a connection with the variation principle	35
3.4.	The virial theorem in the Born–Oppenheimer approximation	36
3.5.	The virial theorem and chemical bonding	41
	Notes	42

3. THE LINEAR VARIATIONAL METHOD AND LÖWDIN'S ORTHOGONALIZATION SCHEMES	45
1. The linear variational method (Ritz method)	45
2. Löwdin's symmetric orthogonalization	52
2.1. Matrix $\mathbf{S}^{-1/2}$	52
2.2. The $\mathbf{S}^{-1/2}$ transformation	53
2.3. The Löwdin basis	54
2.4. The stationary property of Löwdin's symmetric orthogonalization scheme	55
2.5. Löwdin orthogonalization: A two-dimensional example	59
3. Linear independence of the basis and Löwdin's canonic orthogonalization	62
3.1. Eigenvalues of the overlap matrix: A measure for the linear independence of the basis	62
3.2. Löwdin's canonic orthogonalization	64
Notes	67
4. PERTURBATIONAL METHODS	69
1. Nondegenerate Rayleigh–Schrödinger perturbation theory	69
1.1. The problem	69
1.2. “Algebraic” expansion	72
1.3. The use of the reduced resolvent in the Rayleigh–Schrödinger perturbation theory	76
1.4. Wigner's $2n + 1$ theorem	81
1.4.1 The accuracy of the energy expectation value calculated by the n th order perturbational wave function	81
1.4.2 Computing the exact energy corrections up to order $2n + 1$ by using the first n wave function corrections .	82
2. Variational–perturbational method: The Hylleraas functional .	88
3. Degenerate Rayleigh–Schrödinger perturbation theory	93
4. Brillouin–Wigner perturbation theory	95
4.1. The size–consistency problem	98
5. Size consistency of the Rayleigh–Schrödiger perturbation theory	100
5.1. Formal considerations based on the properties of power series	100
5.2. Size consistency of the perturbational expansions	102
6. Löwdin's partitioning method	115
Notes	118
5. DETERMINANT WAVE FUNCTIONS	121
1. Spin orbitals	121
2. Many-electron spin states	124
3. Slater determinants	126

3.1.	Two-electron examples	127
4.	The antisymmetrizing operator	129
4.1.	The projection character of the antisymmetrizing operator	130
4.2.	Commutation properties of the antisymmetrizing operator	134
4.3.	Antisymmetrization between distant subsystems	135
5.	Invariance of the determinant wave function with respect to “mixing” the occupied orbitals	137
6.	Matrix elements between determinant wave functions: Löwdin’s general formulae for nonorthogonal orbitals	140
6.1.	Overlap	140
6.1.1.	General case	141
6.1.2.	Factorization	142
6.1.3.	Special cases for orthonormalized orbitals (Slater rules) .	144
6.2.	One-electron operators	145
6.2.1.	General case	145
6.2.2.	Special cases for orthonormalized orbitals (Slater rules) .	147
6.3.	Two-electron operators	149
6.3.1.	General case	149
6.3.2.	Special cases for orthonormalized orbitals (Slater rules) .	151
7.	Löwdin’s pairing theorem and its generalization	153
7.1.	Löwdin’s pairing theorem	154
7.2.	Karadakov’s extended pairing theorem	157
8.	Theorem about the existence of orbitals of special structure .	160
8.1.	Existence theorem	161
8.2.	<i>A posteriori</i> determination	162
	Notes	163
6.	THE HARTREE–FOCK METHOD	165
1.	The variation principle for single determinant wave functions: The Brillouin theorem	166
1.1.	The Brillouin theorem for the determinant with the absolute minimum of the energy	166
1.2.	The Brillouin theorem for a determinant with a stationary energy	167
1.3.	Algorithm of calculations based on the Brillouin theorem	169
2.	The Hartree–Fock equations	170
2.1.	Unrestricted Hartree–Fock equations	171
2.2.	Alternate derivation by using Lagrangian multipliers .	177
2.3.	Alternate derivation by using specified variations . .	180
3.	Koopmans theorem	182
3.1.	The orbital energies and the total energy	184

4.	The RHF method	187
4.1.	The RHF and UHF schemes	187
4.2.	Symmetry and the RHF method	189
4.3.	The “dissociation catastrophe”; different Hartree–Fock methods	190
4.4.	Singlet and triplet excitations	195
5.	Finite basis Hartree–Fock theory	198
5.1.	Hartree–Fock–Roothaan equations	198
5.2.	The P-matrix	202
5.3.	Example of using projectors in the LCAO framework: The UHF equations for successive optimization of the orbitals	204
5.4.	The Fock matrix and the energy	206
6.	Restricted open-shell Hartree–Fock method	209
6.1.	The ROHF equations	211
6.2.	The coupling coefficients for some open-shell systems	215
7.	The gradient of the energy	216
	Notes	223
7.	POPULATION ANALYSIS, BOND ORDERS, AND VALENCES	227
1.	Mulliken’s population analysis	228
1.1.	Electron density	228
1.2.	Population analysis	230
2.	Bond orders and valences	235
2.1.	Bond order index	235
2.2.	Valence indices	238
2.3.	Exchange density and bond order	241
2.4.	Bond orders in three-center bonds	245
	Notes	247
8.	THE ELECTRON CORRELATION	251
1.	The CI expansion	251
2.	The correlation energy and Nesbet’s theorem	253
3.	Methods of electron correlation calculations	260
3.1.	The CI method	260
3.2.	MC–SCF methods	262
3.3.	The MBPT or Møller–Plesset method	264
3.4.	The Coupled Cluster Approach	269
	Notes	278
9.	MISCELLANEOUS	281
1.	The 1/Z expansion	281
2.	The cusp condition	283
2.1.	The nuclear cusp	283
2.2.	The electronic cusp	286

3.	The asymptotical behavior of the wave function at very large distances	286
4.	Basis functions: The Gaussian product theorem	287
5.	The integral transformation problem	290
	Notes	291
	Appendices	294
I.	Separating the motion of the center of mass in classical mechanics	295
II.	Reducing the two-body problem to two one-body ones in classical mechanics	299
III.	Analogy between differentials and variations	303
IV.	Euler's theorem for homogenous functions	305
V.	The virial theorem in classical mechanics	307
VI.	The electronic Schrödinger equation in atomic units	309
VII.	The “bra-ket” formalism	311
1.	Dirac's “bra” and “ket” vectors	311
2.	Analogy with the matrix formalism	313
3.	The use of an overlapping basis	314
4.	Example of using the bra-ket formalism: The hypervirial theorem	315
5.	Projection operators	316
6.	Resolution of identity	317
7.	Spectral resolution of Hermitian operators	318
8.	The case of non-Hermitian operators—biorthogonal sets of functions	319
9.	The trace of the projector	321
VIII.	Collection of formulas for Rayleigh–Schrödinger perturbation theory (nondegenerate case)	323
IX.	Direct products of matrices	325
X.	Permutations	329
XI.	An orthogonalization algorithm	331
	Index	333